



XTORC[®]

BOLTING TECHNOLOGIES

**LOW PROFILE
WRENCHES**



Maximum Torque: **70,813NM**

A/F Range: **19 - 155MM**


Max Working Pressure: **10,000PSI**

XLP SERIES

Our low profile ratchet links are constructed from rigid steel for increased durability and designed to fit in those tight spaces.

With interchangeable heads and various accessories available, the XLP series low profile is your ultimate solution.

Fitted with 360x180 rotational swivels and +/- 3% torque accuracy



Model	2XLP	4XLP	8XLP	14XLP	18XLP	30XLP	50XLP
Torque Range (NM)	232 - 2414	585 - 6474	1094 - 11774	1558 - 17639	2695 - 26958	4459 - 44593	7081 - 70813
AF Range (MM)	24 - 60	36 - 80	50 - 105	50 - 117	65 - 130	110 - 175	110 - 225
Drive Unit Weight (KG)	0.9	1.7	3.1	4.6	6.5	10.4	35.5
Ratchet Link Weight (KG)	1.5	3.4	6.3	11.4	14.3	20.5	42
L (MM)	196	258 - 263	300 - 311	360	388	430 - 441	493
H1 (MM)	126 - 129	163 - 173	192 - 201	225	264	303 - 315	328
H2 (MM)	102 - 105	136 - 146	168 - 177	204	231	272 - 285	295
W1 (MM)	32	42	53	64	71	85	102
W2 (MM)	51	66	83	99	109	131	160



Xtorc hexagon ratchet links are suitable for a extensive range of sizes and are also interchangeable with selected major brands.

Easily installed onto low profile drive units with a securing link pin.

Our low profile design & minimum nose radius allows for use in tight spaces.

Full range of reducer bush and square drive adaptors available.

Special design ratchet links made to order.

Bolt Size	Nut AF	2XLP Links	4XLP Links	8XLP Links	14XLP Links	18XLP Links	30XLP Links	50XLP Links
5/8"	1.1/16"							
3/4"	1.1/4"	2XRH-104						
7/8"	1.7/16"	2XRH-107	4XRH-107					
1"	1.5/8"	2XRH-110	4XRH-110					
1.1/8"	1.13/16"	2XRH-113	4XRH-113					
1.1/4"	2"	2XRH-200	4XRH-200	8XRH-200	14XRH-200			
1.3/8"	2.3/16"	2XRH-203	4XRH-203	8XRH-203	14XRH-203			
1.1/2"	2.3/8"	2XRH-206	4XRH-206	8XRH-206	14XRH-206			
1.5/8"	2.9/16"		4XRH-209	8XRH-209	14XRH-209	18XRH-209		
1.3/4"	2.3/4"		4XRH-212	8XRH-212	14XRH-212	18XRH-212		
1.7/8"	2.15/16"		4XRH-215	8XRH-215	14XRH-215	18XRH-215		
2"	3.1/8"		4XRH-302	8XRH-302	14XRH-302	18XRH-302		
2.1/4"	3.1/2"			8XRH-308	14XRH-308	18XRH-308		
2.1/2"	3.7/8"			8XRH-314	14XRH-314	18XRH-314		
2.3/4"	4.1/4"				14XRH-404	18XRH-404		
3"	4.5/8"				14XRH-410	18XRH-410	30XRH-410	50XRH-410
3.1/4"	5"					18XRH-500	30XRH-500	50XRH-500
3.1/2"	5.3/8"						30XRH-506	50XRH-506
3.3/4"	5.3/4"						30XRH-512	30XRH-512
4"	6.1/8"						30XRH-602	50XRH-602
4.1/4"	6.1/2"						30XRH-608	50XRH-608
4.1/2"	6.7/8"						30XRH-614	50XRH-614



Easily installed onto low profile drive units with a securing link pin.

Our low profile design & minimum nose radius allows for use in tight spaces.

Full range of reducer bush and square drive adaptors available.

Bolt Size	Nut AF	2XLP Links	4XLP Links	8XLP Links	14XLP Links	18XLP Links	30XLP Links	50XLP Links
16	24	2XRH-24						
18	27	2XRH-27						
20	30	2XRH-30						
22	32	2XRH-32						
24	36	2XRH-36	4XRH-36					
-	38	2XRH-38	4XRH-38					
27	41	2XRH-41	4XRH-41					
30	46	2XRH-46	4XRH-46					
33	50	2XRH-50	4XRH-50	8XRH-50	14XRH-50			
36	55	2XRH-55	4XRH-55	8XRH-55	14XRH-55			
39	60	2XRH-60	4XRH-60	8XRH-60	14XRH-60			
42	65		4XRH-65	8XRH-65	14XRH-65	18XRH-65		
45	70		4XRH-70	8XRH-70	14XRH-70	18XRH-70		
48	75		4XRH-75	8XRH-75	14XRH-75	18XRH-75		
52	80		4XRH-80	8XRH-80	14XRH-80	18XRH-80		
56	85			8XRH-85	14XRH-85	18XRH-85		
60	90			8XRH-90	14XRH-90	18XRH-90		
64	95			8XRH-95	14XRH-95	18XRH-95		
68	100			8XRH-100	14XRH-100	18XRH-100		
72	105			8XRH-105	14XRH-105	18XRH-105		
76	110				14XRH-110	18XRH-110	30XRH-110	50XRH-110
80	115				14XRH-115	18XRH-115	30XRH-115	50XRH-115
90	130					18XRH-130	30XRH-130	50XRH-130
-	135						30XRH-135	50XRH-135
100	145						30XRH-145	50XRH-145
110	155						30XRH-155	50XRH-155



Easily installed onto low profile ratchet links.

Cost saving solution to reduce AF size of low profile ratchet links.

Outer AF	Inner AF	To Suit 2XRH Links	To Suit 4XRH Links	To Suit 8XRH Links	To Suit 14XRH Links	To Suit 18XRH Links	To Suit 30XRH Links	To Suit 50XRH Links
1.1/4"	1.1/16"	IB2-104-101						
1.7/16"	1.1/16"	IB2-107-101						
1.7/16"	1.1/4"	IB2-107-104						
1.5/8"	1.1/4"	IB2-110-104	IB4-110-104					
1.5/8"	1.7/16"	IB2-110-107	IB4-110-107					
1.13/16"	1.7/16"	IB2-113-107	IB4-113-107					
1.13/16"	1.5/8"	IB2-113-110	IB4-113-110					
2"	1.5/8"	IB2-200-110	IB4-200-110					
2"	1.13/16"	IB2-200-113	IB4-200-113					
2.3/16"	1.5/8"	IB2-203-110	IB4-203-110					
2.3/16"	1.13/16"	IB2-203-113	IB4-203-113					
2.3/16"	2"	IB2-203-200	IB4-203-200					
2.3/8"	1.13/16"	IB2-206-113	IB4-206-113					
2.3/8"	2"	IB2-206-200	IB4-206-200					
2.3/8"	2.3/16"	IB2-206-203	IB4-206-203	IB8-206-203				
2.9/16"	2"		IB4-209-200	IB8-209-200				
2.9/16"	2.3/16"		IB4-209-203	IB8-209-203				
2.9/16"	2.3/8"		IB4-209-206	IB8-209-206				
2.3/4"	2.3/16"		IB4-212-203	IB8-212-203				
2.3/4"	2.3/8"		IB4-212-206	IB8-212-206				
2.3/4"	2.9/16"		IB4-212-209	IB8-212-209				
2.15/16"	2.3/8"		IB4-215-206	IB8-215-206				
2.15/16"	2.9/16"		IB4-215-209	IB8-215-209				
2.15/16"	2.3/4"		IB4-215-212	IB8-215-212				

Alternative / non standard sizes not listed above, made to order



Easily installed onto low profile ratchet links.

Cost saving solution to reduce AF size of low profile ratchet links.

Outer AF	Inner AF	To Suit 2XRH Links	To Suit 4XRH Links	To Suit 8XRH Links	To Suit 14XRH Links	To Suit 18XRH Links	To Suit 30XRH Links	To Suit 50XRH Links
3.1/8"	2.9/16"		IB4-302-209	IB8-302-209				
3.1/8"	2.3/4"		IB4-302-212	IB8-302-212	IB14-302-212			
3.1/8"	2.15/16"		IB4-302-215	IB8-302-215	IB14-302-215			
3.1/2"	2.15/16"			IB8-308-215	IB14-308-215			
3.1/2"	3.1/8"			IB8-308-302	IB14-308-302			
3.7/8"	3.1/8"			IB8-314-302	IB14-314-302	IB18-314-302		
3.7/8"	3.1/2"			IB8-314-308	IB14-314-308	IB18-314-308		
4.1/4"	3.1/2"				IB14-404-308	IB18-404-308		
4.1/4"	3.7/8"				IB14-404-314	IB18-404-314		
4.5/8"	3.7/8"				IB14-410-314	IB18-410-314		
4.5/8"	4.1/4"				IB14-410-404	IB18-410-404		
5"	4.1/4"					IB18-500-404	IB30-500-404	IB50-500-404
5"	4.5/8"					IB18-500-410	IB30-500-410	IB50-500-410
5.3/8"	4.5/8"						IB30-506-410	IB50-506-410
5.3/8"	5"						IB30-506-500	IB50-506-500
5.3/4"	5"						IB30-512-500	IB50-512-500
5.3/4"	5.3/8"						IB30-512-506	IB50-512-506
6.1/8"	5.3/8"						IB30-602-506	IB50-602-506
6.1/8"	5.3/4"						IB30-602-512	IB50-602-512
6.1/2"	5.3/4"						IB30-608-512	IB50-608-512
6.1/2"	6.1/8"						IB30-607-602	IB50-607-602
6.7/8"	6.1/8"						IB30-614-602	IB50-614-602
6.7/8"	6.1/2"						IB30-614-608	IB50-614-608

Alternative / non standard sizes not listed above, made to order



Easily installed onto low profile ratchet links.

Cost saving solution to reduce AF size of low profile ratchet links.

Outer AF	Inner AF	To Suit 2XRH Links	To Suit 4XRH Links	To Suit 8XRH Links	To Suit 14XRH Links	To Suit 18XRH Links	To Suit 30XRH Links	To Suit 50XRH Links
30	24	MB2-30-24						
32	24	MB2-32-24						
32	27	MB2-32-27						
36	30	MB2-36-30	MB4-36-30					
41	36	MB2-41-36	MB4-41-36					
46	36	MB2-46-36	MB4-46-36					
46	41	MB2-46-41	MB4-46-41					
50	41	MB2-50-41	MB4-50-41					
50	46	MB2-50-46	MB4-50-46					
55	41	MB2-55-41	MB4-55-41					
55	46	MB2-55-46	MB4-55-46					
55	50	MB2-55-50	MB4-55-50					
60	46	MB2-60-46	MB4-60-46					
60	50	MB2-60-50	MB4-60-50	MB8-60-50				
60	55	MB2-60-55	MB4-60-55	MB8-60-55				
65	50		MB4-65-50	MB8-65-50				
65	55		MB4-65-55	MB8-65-55				
65	60		MB4-65-60	MB8-65-60				
70	55		MB4-70-55	MB8-70-55				
70	60		MB4-70-60	MB8-70-60	MB14-70-60			
70	65		MB4-70-65	MB8-70-65	MB14-70-65			
75	60		MB4-75-60	MB8-75-60	MB14-75-60			
75	65		MB4-75-65	MB8-75-65	MB14-75-65			
75	70		MB4-75-70	MB8-75-70	MB14-75-70			

Alternative / non standard sizes not listed above, made to order



Easily installed onto low profile ratchet links.

Cost saving solution to reduce AF size of low profile ratchet links.

Outer AF	Inner AF	To Suit 2XRH Links	To Suit 4XRH Links	To Suit 8XRH Links	To Suit 14XRH Links	To Suit 18XRH Links	To Suit 30XRH Links	To Suit 50XRH Links
80	65				MB14-80-65			
80	70				MB14-80-70			
80	75				MB14-80-75			
85	70				MB14-85-70			
85	75				MB14-85-75			
85	80				MB14-85-80	MB18-85-80		
90	75				MB14-90-75	MB18-90-75		
90	80				MB14-90-80	MB18-90-80		
90	85				MB14-90-85	MB18-90-85		
95	80				MB14-95-80	MB18-95-80		
95	85				MB14-95-85	MB18-95-85		
95	90				MB14-95-90	MB18-95-90		
100	85				MB14-100-85	MB18-100-85		
100	90				MB14-100-90	MB18-100-90		
100	95				MB14-100-95	MB18-100-95		
105	90					MB18-105-90	MB30-105-90	
105	95					MB18-105-95	MB30-105-95	
105	100					MB18-105-100	MB30-105-100	
110	95						MB30-110-95	
110	100						MB30-110-100	MB50-110-100
110	105						MB30-110-105	MB50-110-105
115	100						MB30-115-100	MB50-115-100
115	105						MB30-115-105	MB50-115-105
115	110						MB30-115-110	MB50-115-100

Alternative / non standard sizes not listed above, made to order